WEST Search History

[Hide Items] [Restore] [Clear] [Cancel]

DATE: Friday, December 07, 2007

Hide?	Set Name	Query	Hit Count
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=NO; OP=OR	
☐	L68	L67 not l65	101
☐	L67	L61 and ((timeout or time-out or (time adj out)) near3 window$1)	109
☐	L66	L65 not l38	55
☐	L65	L61 and ((timeout or time-out or (time adj out)) near3 exceed$)	55
☐	L64	L61 and ((timeout or time-out or (time adj out)) near3 window$1).ab.	7
☐	L63	L62 not l58	38
☐	L62	L61 and (concurrent$ or parallel$) near3 (application$1 or program$1)	84
☐	L61	((timeout or time-out or (time adj out)) same (program$1 or application$1) same window$1)	700
		DB=PGPB,USPT; THES=ASSIGNEE; PLUR=NO; OP=OR	
☐	L60	L56 and ((timeout or time-out or (time adj out)) near3 window$1)	19
☐	L59	L58 not l54	41
☐	L58	L56 and ((timeout or time-out or (time adj out)) same (program$1 or application$1) same window$1)	46
☐	L57	L56 and ((timeout or time-out or (time adj out)) same application$1 same window$1)	41
☐	L56	L55 and (concurrent$ or parallel$) near3 (application$1 or program$1)	7641
☐	L55	719/$.CCLS. OR 718/$.CCLS. OR 713/$.CCLS. OR 715/$.CCLS. OR 709/$.CCLS. OR 707/$.CCLS. or 726/$.ccls.	180691
☐	L54	L53 not l52	38
☐	L53	L46 and ((timeout or time-out or (time adj out)) same application$1 same window$1)	41
☐	L52	L51 not l50	69
☐	L51	l46 and prevent$ with ((timeout or time-out or (time adj out)))	83
☐	L50	L49 not l48	89
☐	L49	L46 and ((timeout or time-out or (time adj out)) near3 application$1)	90
☐	L48	L47 not l43	29
☐	L47	L46 and ((timeout or time-out or (time adj out)) near3 window$1)	29
☐	L46	(709/200,224,225,226,227,228,229)![CCLS]	20126
☐	L45	L40 and ((timeout or time-out or (time adj out)) near3 window$1)	1
☐	L44	L40 and ((timeout or time-out or (time adj out))).clm.	16
☐	L43	L40 and ((timeout or time-out or (time adj out))) with application$1	27
☐	L42	L40 and ((timeout or time-out or (time adj out)))	137
☐	L41	L40 and ((timeout or time-out or (time adj out)) adj window$1)	1
☐	L40	(719/310,329)![CCLS]	1275
		DB=USPT,PGPB; THES=ASSIGNEE; PLUR=NO; OP=OR	
☐	L39	('5774551'| '5805203'| '5826051'| '5884312'| '5933816'| '5960200'| '6016504'| '6035404'| '6070149'| '6078948'| '6115040'| '6148289'| '6161139'| '6182142'| '6195097'| '6253327'| '6292900'| '6363411'| '6377570'| '6377984'| '6418472'| '6446109'| '6470386'| '6470450'| '6574239'| '6636892'| '6638314'| '6654034'| '6665687'| '6677964'| '6694434'| '6697838'| '6714962'| '6738766'| '6745252'| '6757521'| '6771290'| '6771291'| '6785729'| '6832226'| '6836794'| '6856970'| '6868448'| '6941271'|	56

		'6941313'| '6971067'| '6993556'| '20010032090'| '20020065818'| '20020095567'| '20020095584'| '20020133641'| '20020138728'| '20030064352'| '20040030781'| '20040220829')![pn]	
☐	L38	('5241594'| '5404534'| '5448739'| '5586260'| '5604490'| '5684950'| '5768504'| '5774551'| '5790809'| '5862323'| '5884312'| '5918228'| '5928363'| '5944824'| '5946465'| '6006266'| '6014702'| '6018619'| '6035332'| '6041357'| '6041362'| '6049812'| '6049820'| '6052785'| '6076108'| '6085220'| '6088728'| '6115040'| '6128738'| '6131164'| '6161139'| '6161147'| '6170017'| '6178511'| '6192361'| '6199065')![pn]	36
☐	L37	('5708780'| '5715314'| '5764910'| '5909492'| '5923756'| '5995939'| '6014702'| '6049812'| '6073241'| '6081842'| '6092196'| '6112212'| '6115040'| '6138237'| '6170017'| '6189030'| '6192407'| '6253326'| '6330575'| '6374402'| '6463418'| '6463533'| '6714928'| '6751731'| '6948063'| '6971087'| '6993556'| '7043752')![pn]	28
☐	L36	('5499293'| '5708780'| '5715314'| '5898836'| '5909492'| '5949491'| '5995939'| '6012087'| '6018801'| '6049812'| '6052730'| '6092100'| '6092196'| '6115040'| '6138237'| '6151686'| '6170017'| '6173406'| '6185614'| '6202159'| '6253326'| '6330575'| '6374402'| '6463418'| '6463533'| '6751731'| '6941313'| '6948063'| '6971067'| '6993556'| '7043752')![pn]	31
☐	L35	('5657480'| '5708780'| '5818936'| '5884312'| '5892828'| '5892905'| '5903889'| '5928363'| '5995939'| '6014702'| '6049877'| '6052785'| '6065120'| '6085249'| '6092196'| '6115040'| '6128738'| '6161185'| '6170017'| '6175831'| '6178505'| '6178511'| '6185567'| '6557039'| '6941313'| '6971067'| '6993656'| '7043752'| '7103666'| '20020107772')![pn]	30

DB=PGPB,USPT; THES=ASSIGNEE; PLUR=NO; OP=OR

☐	L34	(7103666 7043752 7127609 7127608 7143437).pn.	5
☐	L33	L32 not l31	2
☐	L32	(processor$1 and application$1 and ((timeout or time-out) adj window)).clm.	4
☐	L31	((entitlement adj processor$1) and ((communication adj processor$1) and application$1 and ((timeout or time-out) adj window))).clm.	2
☐	L30	((entitlement adj processor$1) and ((communication adj processor$1) and application$1 and ((timeout or time-out) adj window)) and ((session adj identifier$1) or URL or event$1)).clm.	2

DB=USPT,PGPB; THES=ASSIGNEE; PLUR=NO; OP=OR

☐	L29	L28 and @pd > 20070317	0
☐	L28	('5708780'| '5715314'| '5764910'| '5909492'| '5923756'| '5995939'| '6014702'| '6049812'| '6073241'| '6081842'| '6092196'| '6112212'| '6115040'| '6138237'| '6170017'| '6189030'| '6192407'| '6253326'| '6330575'| '6374402'| '6463418'| '6463533'| '6714928'| '6751731'| '6948063'| '6971087'| '6993556'| '7043752')![pn]	28

DB=PGPB,USPT; THES=ASSIGNEE; PLUR=NO; OP=OR

☐	L27	L26 and (time-out or timeout)	13
☐	L26	(common adj logon adj menu) with application$1	13
☐	L25	(entitlement adj processor$1) same (time-out or timeout)	2
☐	L24	(user adj interface$1) with (concurrent adj application$1)	15
☐	L23	(7043752 7103666).pn.	2

DB=USPT,PGPB; THES=ASSIGNEE; PLUR=NO; OP=OR

☐	L22	('5524238'| '5566319'| '5878258'| '6134552'| '6397253'| '6401138'| '6560655'| '6691118')![pn]	8
☐	L21	('5619639'| '5634095'| '5761669'| '5864664'| '5935251'| '5991807'| '6144991'| '6175363'| '6313854'| '6327628'| '6331858'| '6339826'| '6401138'| '6476833'| '6567801')![pn]	15
☐	L20	('5935217'| '6167449'| '6553431')![pn]	3

DB=PGPB,USPT; THES=ASSIGNEE; PLUR=NO; OP=OR

☐	L19	(6971067 6941313 6993558).pn.	3

DB=PGPB,USPT; THES=ASSIGNEE; PLUR=YES; OP=OR

☐	L18	L17 and @pd > 20050928	5
☐	L17	L12 AND ((timeout$ or time-out) near3 window$1)	10
☐	L16	L14 AND ((timeout$ or time-out) near3 window$1)	0
☐	L15	L14 AND url$1	25
☐	L14	L13 NOT L11	53
☐	L13	L12 and 709/$.CCLS.	55
☐	L12	((validat$ or verif$ or authenticat$) with (user$1 or client$1)) and (prevent$ with (timeout$ or time-out))	254

☐	L11	L10 and ((validat$ or verif$ or authenticat$) with (user$1 or client$1))	27
☐	L10	L9 and ((timeout$ or time-out) near3 window$1)	88
☐	L9	709/$.ccls. or 719/$.ccls. or 713/$.ccls.	96729
☐	L8	L7 and L6	1
☐	L7	(719/329).ccls.	255
☐	L6	L4 and ((browser$1 or processor$1) same (timeout$ or time-out))	42
☐	L5	L4 and ((communication adj processor$1) same (timeout$ or time-out))	3
☐	L4	processor$1 same user$1 same access$ same application$1 same (validat$ or verif$ or authenticat$)	994
☐	L3	((entitlement adj processor$1) and (communication adj processor$1) and (timeout or time-out)).clm.	2
		DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR	
☐	L2	(6115040 6178511 5708780).pn.	3
		DB=PGPB; THES=ASSIGNEE; PLUR=NO; OP=OR	
☐	L1	20030189726	1

END OF SEARCH HISTORY

Google

| "timeout window" and "compatible applications | Search | Advanced Search Preferences |

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web   Results **1** - **5** of **5** for "**timeout window**" and "**compatible applications**". (**0.16** seconds)

System and user interface supporting context sharing between ...
... protocol enables network **compatible applications** to be integrated into ... to a
managing application within a **timeout window** and the activity indication ...
www.freshpatents.com/System-and-user-interface-supporting-context-sharing-
between-concurrently-operating-... - 27k - Cached - Similar pages

(WO/2006/031823) A SYSTEM FOR MANAGING INACTIVITY IN CONCURRENTLY ...
... in response to a first application **timeout window** being exceeded because of ...
concurrent operation of a plurality of Internet **compatible applications**, ...
www.wipo.int/pctdb/en/wo.jsp?IA=WO2006031823&DISPLAY=CLAIMS - 17k -
Cached - Similar pages

(WO/2006/031823) A SYSTEM FOR MANAGING INACTIVITY IN CONCURRENTLY ...
... to a second application **timeout window** being exceeded because of
insufficient .... viewing of information for multiple Internet **compatible applications**.
...
www.wipo.int/pctdb/en/wo.jsp?IA=WO2006031823&DISPLAY=DESC - 40k -
Cached - Similar pages

System for managing inactivity in concurrently operating ...
... and commands for a plurality of Internet **compatible applications**; .... an inactivity
threshold, (otherwise called a **timeout window**) has expired. ...
www.freepatentsonline.com/20060059556.html - 51k - Cached - Similar pages

System and User Interface Supporting Context Sharing Between ...
... to a managing application within a **timeout window** and the activity indication
is .... Internet **compatible applications** employing this system may be ...
www.freepatentsonline.com/20070214495.html - 71k - Cached - Similar pages

In order to show you the most relevant results, we have omitted some entries very similar to the 5 already displayed.
If you like, you can repeat the search with the omitted results included.

Download Google Pack: free essential software for your PC

| "timeout window" and "compatible a| | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Google
.

"timeout window" and "entitlement processor " | Search | Advanced Search
                                                                 Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web   Results **1 - 5** of **5** for "**timeout window**" and "**entitlement processor** ". (0.14 seconds)

System and user interface supporting context sharing between ...
The **entitlement processor** enables user access to. ... managing application within a
timeout window and the activity indication is communicated sufficiently ...
www.freshpatents.com/System-and-user-interface-supporting-context-sharing-
between-concurrently-operating-... - 27k - Cached - Similar pages

(WO/2006/031823) A SYSTEM FOR MANAGING INACTIVITY IN CONCURRENTLY ...
A system according to claim 1 , including an **entitlement processor** enabling ... in
response to a first application **timeout window** being exceeded because of ...
www.wipo.int/pctdb/en/wo.jsp?IA=WO2006031823&DISPLAY=CLAIMS - 17k -
Cached - Similar pages

(WO/2006/031823) A SYSTEM FOR MANAGING INACTIVITY IN CONCURRENTLY ...
The **entitlement processor** 118 enables user access to the first application 122 ...
124 to determine if the second application **timeout window** is exceeded in ...
www.wipo.int/pctdb/en/wo.jsp?IA=WO2006031823&DISPLAY=DESC - 40k -
Cached - Similar pages

System and User Interface Supporting Context Sharing Between ...
The **entitlement processor** enables user access to the first application in ... a
managing application within a **timeout window** and the activity indication is ...
www.patentdebate.com/PATAPP/20070214495 - Similar pages

System for managing inactivity in concurrently operating ...
A system according to claim 1, including an **entitlement processor** enabling ..... an
inactivity threshold, (otherwise called a **timeout window**) has expired. ...
www.freepatentsonline.com/20060059556.html - 51k - Cached - Similar pages

In order to show you the most relevant results, we have omitted some entries very similar to the 5 already displayed.
If you like, you can repeat the search with the omitted results included.

Download Google Pack: free essential software for your PC

"timeout window" and "entitlement pi | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google

"timeout window" and "communication proces│ Search │   Advanced Search
                                                       Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web   Results **1 - 5** of **5** for "timeout window" and "communication processor ". (0.17 seconds)

(WO/2006/031823) A SYSTEM FOR MANAGING INACTIVITY IN CONCURRENTLY ...
... application is inactive in response to a first application **timeout window** being
exceeded because of insufficient activity; and a **communication processor** ...
www.wipo.int/pctdb/en/wo.jsp?IA=WO2006031823&DISPLAY=CLAIMS - 17k -
Cached - Similar pages

System and user interface supporting context sharing between ...
The system also includes a **communication processor** for intermittently
communicating an activity indication to a managing application within a **timeout
window** ...
www.freshpatents.com/System-and-user-interface-supporting-context-sharing-
between-concurrently-operating-... - 27k - Cached - Similar pages

System for managing inactivity in concurrently operating ...
The **communication processor** communicates to a managing application an ..... an
inactivity threshold, (otherwise called a **timeout window**) has expired. ...
www.freepatentsonline.com/20060059556.html - 51k - Cached - Similar pages

(WO/2006/031823) A SYSTEM FOR MANAGING INACTIVITY IN CONCURRENTLY ...
The **communication processor** communicates to a managing application an ... to a
second application **timeout window** being exceeded because of insufficient ...
www.wipo.org/pctdb/en/wo.jsp?wo=2006031823 - 14k - Cached - Similar pages

Prior Art for US Pat App 20060059556
... is inactive in response to a first application **timeout window** being exceeded
because ... and a **communication processor** for communicating to a managing ...
base.google.com/base/a/1222981/D18362957482335132721

In order to show you the most relevant results, we have omitted some entries very similar to the 5 already displayed.
If you like, you can repeat the search with the omitted results included.

Download Google Pack: free essential software for your PC .

"timeout window" and "communicatic │ Search │

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Web   Images   Maps   News   Products   Gmail   more ▾

Google

"time-out window" and "communication proces   [Search]   Advanced Search
Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web   Results **1** - **1** of **1** for "**time-out window**" and "**communication processor** ". **(0.16** seconds)

(WO/2000/062470) UNIVERSAL SYNCHRONOUS NETWORK SYSTEM FOR INTERNET ...
Figure 68 is an illustration of the UniNet **Communication Processor** System
Block ...... in the most optimal manners without hitting the TCP **time out window**. ...
www.wipo.int/pctdb/en/wo.jsp?WO=2000%2F62470&IA=WO2000%
2F62470&DISPLAY=DESC - Similar pages

In order to show you the most relevant results, we have omitted some entries very similar to the 1 already displayed.
If you like, you can repeat the search with the omitted results included.

Download Google Pack: free essential software for your PC

"time-out window" and "communicati   [Search]

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Google

"time-out window" and application and process | Search | Advanced Search
Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web   Results **1 - 10** of about **1,860** for <u>"**time-out window**" and **application** and **processor**</u> . (0.26 seconds)

[PDF] <u>Channel Access Synchronization Test</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
For most of the SNS **applications,** we need time correlation among many ... with 10
msec **time-out window** at about 4% IOC CPU load. ...
neutrons.ornl.gov/APGroup/Papers/TechMemos/2001/ChannelAccessSynchTest.pdf
- <u>Similar pages</u>

<u>System and method for determining transaction time-out - US Patent ...</u>
Richard W. Adkisson et al., Patent **Application**, "System and Method for Error
Capture and Logging ... German Office Action issued for German **application** No. ...
www.patentstorm.us/patents/7219268-claims.html - 23k - <u>Cached</u> - <u>Similar pages</u>

   <u>Ambulatory recorder having synchronized communication between two ...</u>
An ambulatory medical recording system according to claim 20, the second
processor further having means for setting a **time out window** starting from the ...
www.patentstorm.us/patents/6245013-claims.html - 34k - <u>Cached</u> - <u>Similar pages</u>
[<u>More results from www.patentstorm.us</u>]

<u>System and method for determining transaction time-out - Patent ...</u>
Richard W. Adkisson et al., Patent **Application**, "System and Method for Error .... If
the **processor** issues a transaction and the transaction does not return ...
www.freepatentsonline.com/7219268.html - 68k - <u>Cached</u> - <u>Similar pages</u>

   <u>System and method for determining transaction time-out - Patent ...</u>
[0001] The present **application** is related to concurrently filed, ... 1 shows a portion
of a multi-**processor** system in which an embodiment of the present ...
www.freepatentsonline.com/20040237006.html - 67k - <u>Cached</u> - <u>Similar pages</u>
[<u>More results from www.freepatentsonline.com</u>]

<u>(WO/2000/073806) SELF-CONFIGURING COMMUNICATION DEVICE FOR ...</u>
However, if the extended range unit also fails to successfully establish a connection
with the network within the **time-out window**, the **processor** resets the ...
www.wipo.int/pctdb/en/wo.jsp?wo=2000073806&
IA=WO2000073806&DISPLAY=DESC - 54k - <u>Cached</u> - <u>Similar pages</u>

[PDF] <u>Using the Operation Status Bits in AMD Devices</u>
File Format: PDF/Adobe Acrobat
Checking if the Sector Erase **time-out window** is open. (when issuing multiple
Sector Erase .... case this **application** is not feasible. Refer to Fig- ...
www.spansion.com/**application**_notes/22152.pdf - <u>Similar pages</u>

<u>DoGav Systems > Products > Microcode</u>
This utility detects if idle slots are available during the **application** CPM ... data to
destination in absent of DREQ during a configurable **time-out window**. ...
www.dogav.net/products-microcode.htm - 32k - <u>Cached</u> - <u>Similar pages</u>

[PPT] <u>TCOM 507 Class 2</u>
File Format: Microsoft Powerpoint - <u>View as HTML</u>
The satellite access protocol (with a larger **time-out window**) is handled in the ....
workstation and consists of the baseband **processor** units and interface ...
classweb.gmu.edu/jmontana/lecture08.ppt - <u>Similar pages</u>

<u>AOI Timing Out</u>
Database; Misc; Languages; **Processor** Platforms; Theory ... Protocols; Apple
Networking; Network Management; Message Queue; **Application** Servers ...
www.experts-exchange.com/Other/Miscellaneous/Q_20704960.html - 63k -
<u>Cached</u> - <u>Similar pages</u>

Google
.

| "time-out window" and application and process | Search | Advanced Search
Preferences |

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web   Results **11 - 20** of about **1,860** for **"time-out window"** and **application** and **processor** . (0.19 seconds)

Architecture and implementation of an efficient and robust TDMA ...
single **processor** to process both transmission and reception. bursts. ..... error-free),
a second **time-out window** of about 4 seconds (255 ...
ieeexplore.ieee.org/iel2/832/1551/00040068.pdf?arnumber=40068 - Similar pages

FAQ
... set the "Server" box in the "Network **Time-out**" **window** to 300. .... Secondly, you
may not have installed your RealPlayer as an **application** to be used ...
www.captus.com/information/faq.htm - 22k - Cached - Similar pages

[PDF] How to Design with Am29Fxxx Embedded Algorithm
File Format: PDF/Adobe Acrobat - View as HTML
Application Note. by Kumar Prabhat. Advanced ..... command, the **time-out**
window is reset. The device will. indicate this time-out through the DQ3 bit. ...
robotics.ee.uwa.edu.au/eyebot/doc/DataSheets/FlashAlgorithm.pdf - Similar pages

[Paper] Computing and Communication Quality of Service for ...
In DATC **application**, real-time discrete event scheduling is achieved in a highly .....
During the **time-out window** ex- plained in point 21 above the part, ...
www.actapress.com/PDFViewer.aspx?paperId=22183 - Similar pages

Opportunistic multi-access
Source, Mobile Networks and **Applications** archive ... Then an admission decision is
made based on the measured throughput within a **time-out window**. ...
portal.acm.org/citation.cfm?id=1012232 - Similar pages

[PDF] User Guide
File Format: PDF/Adobe Acrobat
In your word **processor**, begin a new document, or open an existing document ....
use QuickFIND™, a **Time Out window** may appear with the message "QuickFIND
is ...
ftp://www3.quicklaw.com/pub/pdf/QuickFINDGuide.pdf - Similar pages

d120 69..94
The algorithms incorporate the retransmission **time-out, window** ..... distinct
observations of the **processor**. As mentioned, the state of the ...
www.blackwell-synergy.com/doi/abs/10.1111/1467-8586.00140 - Similar pages

EP1469372 At european software patent - User authentication using ...
Publication no. EP1469372. **Application** no. EP20040252256 20040416 .... The
authentication **processor** 140 may be a remote or local **processor**. ...
gauss.ffii.org/PatentView/EP1469372 - 55k - Cached - Similar pages

[PDF] Microsoft PowerPoint - SEC-2006.ppt [Read-Only]
File Format: PDF/Adobe Acrobat - View as HTML
Acceptance Depends on **Applications** Response Times .... the **time-out window**'
=> store 1 event in the DB with a. counter. Time-out value can be adjusted as ...
www.cisco.com/networkers/nw04/presos/docs/SEC-2006.pdf - Similar pages

(WO/1985/003579) RANGE LIMITED COHERENT FREQUENCY DOPPLER ...
9 is a block diagram representation of an information **processor** used in the .....
determines a **time out window** for detecting an intrusion. , For example, ...
www.wipo.int/pctdb/en/wo.jsp?WO=1985%2F03579&IA=WO1985%
2F03579&DISPLAY=DESC - 48k - Cached - Similar pages

Web   Images   Maps   News   Products   Gmail   more ▾

Google
·

| "time-out window" and application and proces⸱ | Search | Advanced Search Preferences |

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web   Results **21 - 30** of about **1,860** for "<u>time-out window</u>" and <u>application</u> and <u>processor</u> . (0.13 seconds)

[PDF] <u>4M (512K × 8) BIT</u>
File Format: PDF/Adobe Acrobat
Flash memories are intended for use in **applications** where the local CPU alters ....
the WE occurs within the 50 μs **time-out window** the timer is reset. ...
sub.chipdoc.ru/pdf/Fujitsu/E520842.PDF?fid=12 - <u>Similar pages</u>

<u>Eseries » Blog Archive » New Version Of Mail For Exchange - M4E 1.5</u>
More good news is that if your firewall **time-out window** is very short, you can now
make the .... The M4E **application** is showing "idle" as connection state... ...
www.e-series.org/archives/258 - 80k - <u>Cached</u> - <u>Similar pages</u>

[PDF] <u>8M (1M × 8/512K × 16) BIT</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
Flash memories are intended for use in **applications** where the local CPU alters
memory .... within the 50 μs **time-out window** the timer is reset. (Monitor DQ ...
www.btdesigner.com/pdfs/2930800bA.pdf - <u>Similar pages</u>

[PDF] <u>Am29F040</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
Flash memories are intended for use in **applications** .... the WE occurs within the 80
μs **time-out window** the. timer is reset. (Monitor DQ3 to determine if ...
beta.octopart.com/AMD__AM29F040B-90JC.pdf - <u>Similar pages</u>

<u>The low-energy neutral atom imager for IMAGE</u>
instrument data **processor** (CIDP). The microcontroller also queues commands, ...
time-out window is small unless the count rate is extremely high, ...
www.springerlink.com/index/J3M6105U87JV5784.pdf - <u>Similar pages</u>

[PDF] <u>Am29LV008T/Am29LV008B</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
time-out window, the timer is reset. During the 80 μs. window, any command other
than Sector ..... by disabling the **processor** interrupts just for the dura- ...
www.ortodoxism.ro/datasheets/AdvancedMicroDevices/mXwvwz.pdf - <u>Similar pages</u>

[PDF] <u>16 M (2 M × 8) BIT</u>
File Format: PDF/Adobe Acrobat
Flash memories are intended for use in **applications** where the local CPU alters
memory .... occurs within the 50 μs **time-out window** the timer is reset. ...
noel.feld.cvut.cz/hw/fujitsu/e5208073.pdf - <u>Similar pages</u>

[PDF] <u>High Speed 1 Megabit Monolithic FLASH</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
processor interrupts be disabled during this time to. guarantee this condition. ...
within the 80μs **time-out window** the timer is reset. ...
www.ams.aeroflex.com/ProductFiles/DataSheets/128K8N.pdf - <u>Similar pages</u>

[PDF] <u>Standard Interface Control Option SIC Digital Interface:</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
The digital hardware includes a 40MIPS digital signal **processor**, a network ...... host
does not receive an acknowledge within the **time out window**, the ...
www.spellmanhv.com/tech/pdf/SICMAN.pdf - <u>Similar pages</u>

[PDF] <u>Am29F800T/Am29F800B</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
processor interrupts be disabled during this time to. guarantee this condition. ... μs
time-out window the timer is reset. (Monitor DQ3 to ...
mtrob.fdns.net/~webpal/29F800.pdf - <u>Similar pages</u>

Web   Images   Maps   News   Products   Gmail   more ▾

Google
.

"time-out window" and application and process [Search]

Advanced Search
Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web

Results 31 - **40** of about **2,060** for "**time-out window**" and **application** and **processor** . (**0.26** seconds)

[PDF] 8M (1M × 8/512K × 16) BIT
File Format: PDF/Adobe Acrobat - View as HTML
Flash memories are intended for use in **applications** where the local CPU .... edge
of the WE occurs within the 50 μs **time-out window** the timer is reset. ...
www.ele.uva.es/~jesus/davinci/mbm29lv800ba.pdf - Similar pages

[PDF] MBM29LV650UE MBM29LV651UE
File Format: PDF/Adobe Acrobat - View as HTML
Flash memories are intended for use in **applications** where the local CPU alters
memory contents. .... **time-out window** the timer is reset. (Monitor DQ ...
balloonboard.org/hardware/205/ds/29lv650.pdf - Similar pages

[PDF] Am29F080
File Format: PDF/Adobe Acrobat - View as HTML
is recommended that **processor** interrupts be dis-. abled during this time to
guarantee this condition ... **time-out window** the timer is reset. (Monitor DQ3 to ...
www.amd.com/us-en/assets/content_type/white_papers_and_tech_docs/19643.pdf -
Similar pages

[PDF] 16M (2M × 8/1M × 16) BIT
File Format: PDF/Adobe Acrobat - View as HTML
Flash memories are intended for use in **applications** where the local CPU alters
memory contents. As such, ... **time-out window** the timer is reset. Monitor DQ ...
www.portalsimberos.com/el-portal/del-simba/manuales/DOCUS2/29lv160te%
20futjitsu.pdf - Similar pages

[PDF] Philips Medical Systems
File Format: PDF/Adobe Acrobat - View as HTML
If no images have been stored within its **time-out window**, EnVisor will close ......
The EnVisor AE conforms to the **Application** Profile for Ultrasound Media ...
www.medical.philips.com/main/company/
connectivity/assets/docs/envisor_a0_conformance.pdf - Similar pages

[PDF] MBM29LV004B T
File Format: PDF/Adobe Acrobat
Flash memories are intended for use in **applications** where the local CPU .... edge
of the WE occurs within the 50 μs **time-out window** the timer is reset ...
sub.chipdoc.ru/pdf/Fujitsu/E520824.PDF?fid=12 - Similar pages

[PDF] Migrating Data to V2R5.1
File Format: PDF/Adobe Acrobat - View as HTML
method is to install the compiler on only one Trusted Parallel **Application**. (TPA)
node that runs a Parsing Engine (PE) virtual **processor**. Usually all ...
www.teradataforum.com/attachments/a050303a.pdf - Similar pages

[PDF] Am29F010
File Format: PDF/Adobe Acrobat - View as HTML
processor interrupts be disabled during this time to. guarantee this condition. ...
time-out window the timer is reset. (Monitor DQ3 to de- ...
robotics.ee.uwa.edu.au/eyebot/doc/DataSheets/29F010.pdf - Similar pages

[PDF] Am29F010
File Format: PDF/Adobe Acrobat - View as HTML
processor interrupts be disabled during this time to. guarantee this condition. ... the
80 μs **time-out window** the timer is reset. (Monitor ...
noel.feld.cvut.cz/hw/amd/16736f1.pdf - Similar pages

[PDF] MBM29PL65LM

File Format: PDF/Adobe Acrobat - View as HTML
Flash memories are intended for use in **applications** where the local CPU alters

Google

"time-out window" and application and proces[Search]   Advanced Search
Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web   Results **41 - 50** of about **2,060** for "**time-out window**" and **application** and **processor** . (**0.17** seconds)

[PDF] SPANSION Flash Memory
File Format: PDF/Adobe Acrobat
Flash memories are intended for use in **applications** where the local CPU alters
memory contents. .... **time-out window**, the. timer is reset (monitor DQ ...
elinux.org/images/5/5f/Mbm29dl640e.pdf - Similar pages

[PDF] ES29LV400E(Rev. 0B).fm
File Format: PDF/Adobe Acrobat - View as HTML
such **applications**, manufacturer and device identifi- ...... Sector Erase **Time-out
Window** and DQ3 ... It is recommended that **processor** interrupts be dis- ...
www.excelsemi.com/ES29LV400E(Rev.%200B).pdf - Similar pages

[PDF] A CROSS-LAYER DESIGN FRAMEWORK FOR RESOURCE ALLOCATION IN WIRELESS ...
File Format: PDF/Adobe Acrobat
a **time-out window**: the system admits this incoming user if its throughput is ......
digital signal **processor** (DSP) uses a copy of the data in the buffer to ...
www.eas.asu.edu/~junshan/pub/Ming_hu_thesis.pdf - Similar pages

The Thermal Ion Dynamics Experiment and Plasma Source Instrument
probability of a valid second START within the **time-out window** is small ..... of the
Data **Processor**. A schematic showing the basic functional elements of ...
www.springerlink.com/index/P67405433872NT33.pdf - Similar pages

Simplified interactive graphical user interfaces for display ...
Brief Patent Description - Full Patent Description - Patent **Application** Claims .... 1 is
a block diagram of an interactive data **processor** controlled display ...
www.freshpatents.com/Simplified-interactive-graphical-user-interfaces-for-display-
systems-by-removal-of-i... - 36k - Cached - Similar pages

System and method for determining transaction time-out - Patent ...
German Office Action issued for German **application** No. .... The system of claim 21,
wherein said first state machine provides a **time-out window** having a ...
www.patentgenius.com/patent/7219268.html - 72k - Cached - Similar pages

[DOC] Welcome to Community TechKnowledge, Inc
File Format: Microsoft Word - View as HTML
Recommended Computer Specifications for operation of CI ODM **applications**: 500
MHz **Processor** PC Operating System: Windows 98 or above Memory: 128 MB
RAM ...
https://www.unitedwayatlanta.org/docs/ci/ReturningApplicantODMManualFY07.doc -
Similar pages

[PDF] ES29LV320(Rev. 2D).fm
File Format: PDF/Adobe Acrobat - View as HTML
processor read cycles that assert valid addresses .... In such **applications**,
manufacturer and device ...... Sector Erase **Time-out Window** and DQ3 ...
www.gfei.com.hk/coreriver/data/manual/NOR_Flash/CR29LV320(Rev.%202D).pdf -
Similar pages

[PDF] MBM29DL32XTE/BE
File Format: PDF/Adobe Acrobat
Flash memories are intended for use in **applications** where the local CPU alters
memory contents. As such, ... TIME-OUT : **Time-Out window** = 250 μs (Min.) ...
sigma-players.nd.e-wro.pl/docs/e520881.pdf - Similar pages

[PDF] TMC2072 Peripheral Mode CircLink Controller Data Sheet - SMSC
File Format: PDF/Adobe Acrobat
response **time out window**, it assumes that its neighbor has left the network .....
suitable for **applications** such as handling sensor information that remains ...
www.smsc.com/main/datasheets/2072.pdf - Similar pages